

Product	Cannabistada Extrakt THC 50/ CBD 25 CA
Country	Germany
License No.	DE RP 01 MIA 2022 0054
Potency	Δ^9 -Tetrahydrocannabinol: 50 mg/ml Cannabidiol: 25 mg/ml
Dosage form	Oral liquid
Pack size	30 ml amber glass bottle
Batch number:	G24ACCO2F1

Manufacturer:	MediPharm Labs Inc. 151 John Street, Barrie, Ontario, L4N 2L1 Canada	Manufacturing date: 03/2024
Manufacturing license No.:	LIC-DZIH2YVSJ-2021	
Manufacturer of Cannabis Flos (starting material):	Northern Green Canada Inc., 275 Orenda Rd., Brampton, L6T 3T7 – Ontario, Canada; Emblem Cannabis Corporation, 20 Woodslee Avenue, Paris, N3L 3N6 – Ontario, Canada	
Strain:	Gorilla Glue 4 Cannatonic	

Test	Method	Specification	Result	Complies
Appearance	Organoleptic	Greenish or yellow to brown liquid	Complies	YES
Identification	DAB Monograph (TLC)	Complies with the description of the DAB monograph	Complies	YES
Relative density	EP 2.2.5	For information	0.955	YES
Water content	EP 2.5.12	$\leq 0.5 \%$	0.12%	YES
Assay	DAB Monograph (HPLC)	CBD: 22.5 mg/ml – 27.5 mg/ml CBN: $\leq 2.5\%$ THC: 45.0 mg/ml – 55.0 mg/ml	24.97 mg/ml 0.16 % 54.51 mg/ml	YES
Ethanol Isopropyl Alcohol	EP 2.4.24	≤ 5000 ppm ≤ 5000 ppm	n.n. n.n.	YES
Pesticides*	EP 2.8.13	Complies with the requirements EP 2.8.13	Complies	YES
Aflatoxins*	EP 2.8.18	B1: $\leq 2.0 \mu\text{g/kg}$ Sum B1, B2, G1, G2: $\leq 4 \mu\text{g/kg}$	n.n. ($< 2 \mu\text{g/kg}$) n.n. ($< 4 \mu\text{g/kg}$)	YES
Heavy metals analysis*	EP 2.4.27	Arsenic: ≤ 2.0 ppm Lead: ≤ 5.0 ppm Mercury: ≤ 0.1 ppm Cadmium: ≤ 0.5 ppm	< 0.1 ppm < 0.1 ppm < 0.05 ppm < 0.1 ppm	YES
Microbiological purity				YS
TAMC	EP 2.6.12	$\leq 10^4$ cfu/g or cfu/ml	< 100 cfu/g	
TYMC	EP 2.6.12	$\leq 10^2$ cfu/g or cfu/ml	< 10 cfu/g	
Bile tolerant gram neg. bacteria	EP 2.6.13	$\leq 10^2$ cfu/g or cfu/ml	< 10 cfu/g	
Escherichia coli	EP 2.6.13	absent / 1 g or 1 ml	absent/ 1g	
Salmonella species	EP 2.6.13	absent / 10 g or 10 ml	absent/ 10g	
Staphylococcus aureus	EP 2.6.13	absent / 1 g or 1 ml	absent/ 1g	

n.n. - below limit of quantitation

Examined: QSI GmbH, Flughafendamm 9a, 28199 Bremen

*CoA MediPharm Labs Canada Inc., Barrie, Canada

Expiry date	03/2026
--------------------	---------



I hereby declare that this batch of the medicinal product has been manufactured and tested in compliance with the applicable GMP regulations and in accordance with the master documents approved by the client and has been tested in compliance with recognized pharmaceutical regulations pursuant to § 6 No. 3 ApBetrO and is hereby released for marketing pursuant § 16 AMWHV.

All starting materials and intermediate products used have been tested and were approved.

Dr. Klaus-Uwe Pechar
Date / Signature Qualified Person

21.05.2024

Chargenzertifikat

Bezeichnung des Arzneimittels:	CannabiStada Extrakt THC 50/ CBD 25 CA
Vertriebsland:	DE
Herkunftsland:	CAN
Stärke:	50 mg/ml Tetrahydrocannabinol (THC) 25 mg/ml Cannabidiol (CBD)
Darreichungsform:	Lösung zur Herstellung von Rezeptur Arzneimitteln zur Einnahme
Packungsgröße/-Art:	30 ml
Anzahl Packungen:	1147
davon Rückstellmuster:	6
davon Analysemuster:	3
Anzahl Packungen freier Bestand	1138
Chargennummer des Arzneimittels:	G24ACCO2F1
Datum der Herstellung:	03/2024
Verfallsdatum:	03/2026
Hersteller:	MediPharm Labs Inc. 151 John Street Barrie ON L4N 2L1 Kanada
Chargenzertifizierung:	ADREXpharma GmbH Jakob-Hasslacher-Str. 4 56070 Koblenz Deutschland
Erlaubnis Nummer:	DE_RP_01_MIA_2022_0054
Ergebnis der Freigabeprüfung:	Entspricht (AZ beiliegend)

Hiermit erkläre ich, dass diese Charge des Arzneimittels nach den geltenden GMP-Regelwerken und entsprechend den vom Auftraggeber genehmigten Masterdokumenten hergestellt und geprüft wurde und hiermit zum Versand oder zum Inverkehrbringen (§ 16 AMWHV) freigegeben wird. Alle eingesetzten Ausgangsstoffe und Zwischenprodukte wurden geprüft und gebilligt. Die vorliegende Chargendokumentation wurde auf Vollständigkeit und Umgang mit Abweichungen von den Sollvorgaben überprüft.

OOS:	☒ Nein	☐ Ja (siehe Anlage)
Kritische/major Abweichungen:	☒ Nein	☐ Ja (siehe Anlage)
Diese Charge wurde freigegeben zum:	☐ Versand	☒ Inverkehrbringen

Sachkundige Person

Dr. Klaus-Uwe Pechar



Datum: 21.05.2024

Unterschrift: